

References

- ABS. (1994). Environmental issues – people’s views and practices. Australian Bureau of Statistics Catalogue no. 4602.0.
- ABS. (1996). Selected characteristics: urban centres and localities, NSW and ACT. Australian Bureau of Statistics Catalogue no. 2016.1.
- ABS. (1999). Regional statistics, NSW. Australian Bureau of Statistics Catalogue no. 1304.1.
- ACTEW. (1994). ACT future water supply strategy. Our water our future. ACT Electricity and Water.
- Allen, M.D., and Argue J.R. (1992). Stormwater management in Adelaide: the on-site retention component. International Symposium on Urban Stormwater Management. 310-317. Institution of Engineers Australia. Sydney, Australia.
- APHA. (1995). Standard methods for examination of water and wastewater. 19th ed., American Public Health Association. New York, USA.
- Andoh, R.Y.G., and Declerck C. (1999). Source control and distributed storage – a cost effective approach for the new millennium. Proceedings of the Eighth International Conference on Urban Storm Drainage. Sydney. Australia. 1997-2005.
- Argue, J.R. (1986). Storm drainage design in small urban catchments: a handbook for Australian practice. Special Report No. 34. Australian Road Research Board.
- Argue, J.R. (1998). On-site retention of stormwater: introduction and design procedures. Urban Water resources Centre. University of South Australia.
- Argue, J.R., Geiger W.F., and Pezzaniti D. (1998). Demonstration projects in source control technology: theory and practice. HydraStorm98. 189-194. Adelaide. Australia.
- Argue, J.R., Scott P., and Santos R. (1998a). Performance, environmental and cost comparisons of OSD and OSR in re-developed residential catchments. HydraStorm98. 189-194. Adelaide. Australia.
- Ariyabanhu, R. De.Silva. (2000). Use of rainwater for sustainable water supply in rural Sri Lanka. 10th World Water Congress. Melbourne. Australia.
- Armstrong, J.W. (1967). Pipelines and people. Halstead Press. Sydney. Australia.
- AS 3666. (1989). Air-handling and water systems in buildings – microbiological control. Standards Australia.
- AS/NZ 3500.1.2. (1998). National Plumbing and Drainage – water supply – acceptable solutions. Standards Australia.

- AS/NZ 3500.4.2. (1997). National Plumbing and Drainage – hot water supply systems – acceptable solutions. Standards Australia.
- ASTECC, (1995). Future needs 2010. Matching science and technology to future needs. Curbing our Thirst: Possible futures for Australia's urban water system in the 21st Century. Urban Water Lifecycles Partnership. Canberra. Australia.
- ATA, (2001). Solar Energy Booklet. 3rd ed. Alternative Technology Association.
- Bartlett, K.H., Trust T.J., and Lior H. (1977). Small pet aquarium frogs as a source of *Salmonella*. Applied Environmental Microbiology. Vol. 33. 1026-1029.
- Beaudesert Shire Council, (2000). Domestic constant flow water service connections information brochure. Beaudesert. QLD.
- Beder, S. (1993). Pipelines and paradigms: the development of sewerage engineering. Australian Civil Engineering Transactions, IEAust. Vol. CE35. No.1.
- Beder, S. (1998). The new engineer. Management and professional responsibility in a changing world. Macmillan Education. Melbourne, Australia.
- Benenson, A. S. (1995). Control of Communicable Diseases Manual. 16th Ed; American Public Health Association, Washington, USA.
- Blanchard, D.C. (1970). Bacteria and the air-water interface. Science. August.
- Boyd, M. (1985). Head – discharge relations for culverts. 21st Congress of the International Association for Hydraulic Research. Melbourne, Australia.
- Bove, F.J. (2000). Birth outcomes and drinking water contamination. Interdisciplinary Perspectives on Drinking Water Risk Assessment and Management. pp. 137. IAHS Press. Oxfordshire. UK.
- Brodribb, R., Webster P., and Farrell D. (1995). Recurrent *Campylobacter Fetus* subspecies fetus bacteraemia in a febrile neutropaenic patient linked to tank water. Communicable Diseases Intelligence. Vol. 19, 312-313.
- Clarke, R.D.S. (1987). Nitrogen and phosphorus in rainwater at locations near Adelaide, South Australia. Engineering and Water Supply Department. South Australia.
- Clarke, R.D.S. (1990) Asset replacement: Can we get it right? Water, 22-24, Feb.
- Charteris, W.P., Kelly P.M., Morelli L., and Collins J.K. (1997). Selective detection, enumeration and identification of potential probiotic lactobacillus and Bifidobacterium species in mixed bacterial populations. J. Microbiology. 333-337.
- Charteris, W.P., Kelly P.M., Morelli L., and Collins J.K. (1998). Antibiotic susceptibility of potentially probiotic Bifidobacterium isolates from the human gastrointestinal tract. Applied Microbiology. 333-337.

- Committee on Uniformity of Plumbing and Drainage Regulation in NSW. (1999). New South Wales Code of Practice: plumbing and drainage.
- Coombes, P. J. (1997). Towards sustainable asset management of stormwater drainage systems. Unpublished B.E thesis. University of Newcastle.
- Coombes, P. J. and Kuczera G. (2000). Nikkinba Ridge Fletcher: analysis of stormwater management options. Research Report for Newcastle City Council. Department of Civil, Surveying and Environmental Engineering. University of Newcastle.
- Cooperstock, M.S., and Zedd A.J. (1983). Intestinal flora of infants. Human intestinal microflora in health and disease. Academic Press. New York. 79-99.
- Corbett, S. (2001). National guidelines for the use of rainwater tanks. NSW Department of Health.
- Cox, D., and Cartwright A., (1998). Water usage at Stringybark Grove – an environmentally sustainable housing development. Sydney Water Corporation.
- Cristensen, B.E., and Characklis W.G. (1990). Physical and chemical properties of biofilms. Biofilms. John Wiley and Sons. New York.
- Cui, L., and Kuczera G. (2001). Optimisation of urban water supply using parallel genetic algorithms and replicate compression. 29th Congress of the International Association of Hydraulic Engineering and Research. Beijing. China.
- Cunliffe, D.A. (1998). Guidance on the use of rainwater tanks. National Environmental health Forum Monographs. Water Series 3. South Australian Health Commission. Glenelg Press. South Australia.
- Dandy, G. C. (1986). Factors that affect residential water consumption in Adelaide. Research report No. R76, Department of Civil Engineering, University of Adelaide.
- Doorenbos, J., and Pruitt W.O. (1977). Crop water requirements. Irrigation and Drainage Paper 24. UN Food and Agriculture Organisation. Rome, Italy.
- Duan, Q., Sorooshian S., and Gupta V. K. (1994). Optimal use of the SCE-UA global optimisation method for calibrating watershed models. Journal of Hydrology. 158. 265-284.
- DUAP. (1995). Cities for the 21st century. NSW Department of Urban Affairs and Planning.
- Duncan, H.P., and Wight D.J. (1991). Rainwater tanks for domestic water supply in the Melbourne area. Board of Works Water Supply Division. Melbourne. Australia.
- Edwards, R. (1994). A microbiological investigation into the degree of contamination of water in domestic rainwater storage tanks with residents of Noosa Shire solely

- supported by tank water. 54th Annual State Conference of the Australian Institute of Environmental Health (QLD Division). Ipswich, Queensland, 308-325.
- Energy Australia, (2001). Quarterly Bill and Tax Invoice. 49 Harrison Street, Maryville, NSW.
- Fleachem, G.R., Bradley D.J., Garelick H., and Mara D. D. (1981). Appropriate technology for water supply and sanitation. Transportation, Water and Telecommunications Department. The World Bank.
- Fleming, H.R.C. (1993). Biofilms and environmental protection. Water Science and Technology. Vol. 27, 7-8. 1-10.
- Friedman, C.R., Totigian C., Shillam P.J., Hoffman R.E., Heltzel D., and Beebe J.L. (1998). An outbreak of *Salmonellosis* amongst children attending a reptile exhibit at a zoo. J. Pediatr. Vol. 132. 802-807.
- Fujiwara, M., Manwaring J.M., and Clarke R.M. (1992). Drinking water in Japan and the United States: Conference Objectives. The proceedings of the 3rd U.S. – Japan Governmental Conference on Drinking Water Quality Management. Cincinnati, Ohio, USA.
- Fuller, C. A., Martin T.J., and Walters R.P. (1981). Quality aspects of water stored in domestic rainwater tanks (a preliminary study). Domestic rainwater tanks working party. South Australia.
- Gardner, T., Coombes P.J., and Marks R. (2001). Use of rainwater at a range of scales in Australian urban environments. 10th International Rainwater Conference. Germany.
- Gee, L. (1993). Pilot survey of the microbiological and chemical aspects of water stored in domestic rainwater tanks. Western Sector Public Health Unit. New South Wales Department of Health. Unpublished report.
- Geiger, W., and Dreiseitl H. (1995). Neue wege fur das regenwasser – handbuch zum ruckhalt und zur versicherung von regenwasser in buagebieten. Herausgeber, EmescherGenossenschaft, Essen und Internationale Bausaustellung Emscher Park, Gelsenkirchen, Oldenbourg, Germany.
- Goldin, B.R., Gorbach S.L., Saxelin M., Bakarat S., Gualtieri L., and Salminen S. (1991). Survival of *Lactobacillus* species (strain GG) in the human gastrointestinal tract. Digestive diseases and science. Vol. 37. 121-128.
- GWCWA, (2000). Installation of rainwater tanks on residential houses. Memorandum to the Board of the Gosford Wyong Council's Water Authority.

- Hargreaves, G.H., and Samani Z.A. (1985). Reference crop evapotranspiration from temperature. *Applied Engineering Agriculture*. Vol. 1, 2, 96-99.
- Hawken, P., Lovins A.B., and Lovins L.H. (1999). *Natural capitalism. The next industrial revolution*. Earthscan. UK.
- Heeps, D.P. (1977). Efficiency in industrial, municipal and domestic water use. Technical paper no. 20. Australian Water Resources Council.
- Heggen, R.J. (2000). Rainwater catchment and the challenges of sustainable development. *Water Science and Technology*. Vol. 42, 1-2. 141-145.
- Heneker, T.M., Lambert M.F., and Kuczera G. (2001). A point rainfall model for risk based design. *J. Hydrology*. Vol. 247. 54-71.
- Hill, P.I., and Mein, R.G. (1996). Incompatibilities between storm temporal patterns and losses for design flood estimation. 23rd Hydrology and Water Resources Symposium. Hobart. Australia. 445-451.
- Hopkins, B., and Argue J.R. (1993). The New Brompton Estate stormwater management trial: first results. Hydrology and Water Resources Symposium, Newcastle. The Institution of Engineers, Australia. 411-416.
- Hooker, C. A. (1995). A systems perspective. Department of Philosophy. University of Newcastle. New South Wales. Australia.
- Hunter District Water Board. (1982). Water development plan to 2010.
- HWC. (1996). Annual report 1995/1996. Hunter Water Corporation Ltd.
- HWC. (1997). Total water management project – Hamilton Bus Depot. Letter to Rod Seymour Architects from Hunter Water Corporation.
- HWC. (2000). Contaminant protection/hazard ratings for rainwater tank installations. Letter to Newcastle City Council from Hunter Water Corporation.
- IEAust. (1987). Australian rainfall and runoff: a guide to flood estimation. Vol. 1. The Institution of Engineers, Australia.
- IEAust. (1999). A Century of Water Resources Development in Australia: 1900 – 1999. (edited by W. Broughton) The Institution of Engineers Australia. Canberra.
- Ionides, M. G. (1966). Rainwater catchment tanks. *ITDG Bulletin*. No. 1, 10-12. London.
- Jorgensen, A. J. F; Nohr K; Sorensen H. and Boisen F. (1998). Decontamination of Drinking Water by Direct Heating in Solar Panels. *Applied Microbiology*. Vol. 85, 3, 441-447.

- Joyce, T. M; Mcguigan K. G; Elmoremeegan M. and Conroy R. M. (1996). Inactivation of Fecal Bacteria in Drinking Water by Solar Heating. *Applied and Environmental Microbiology*. Vol. 62, 2, 399-402.
- Kneese, A.V., and Bower B. T. (1972). Causing offsite costs to be reflected in waste disposal decisions. In *Economics of the Environment*. Eds. Dorfman R., and Dorfman N.S., W.W. Norton, NY.
- Koenraad, P.M.F.J., Rombouts F.M., aand Notermans S.H.W., (1997). Epidemiological aspects of thermophilic *Campylobacter* in water related environments. A review. *Water Environment Research*. Vol. 69, 52-63.
- Kuczera, G., (1992). Water supply headworks simulation using network linear programming. *Advances in Engineering Software*. Vol. 14. 55-60.
- Kuczera, G., and Ng W.S., (1994). Stochastic economic approach to headworks augmentation timing. Research report No. 72. Urban Water Research Association of Australia.
- Kuczera, G., and Parent, E. (1998). Monte Carlo assessment of parameter uncertainty in conceptual catchment models: the Metropolis algorithm. *Journal of Hydrology*, Vol. 211, 69-85.
- Kuczera, G., Williams B., Binning P., and Lambert M. (2000). An education web site for free water engineering software. 3rd International Hydrology and Water Resources Symposium. Institution of Engineers Australia. Perth. Western Australia. 1048-1053.
- Kuhn, T. S. (1970). *The structure of scientific revolution*. University of Chicago Press. USA.
- Lee, W.K., Fujisawa T., Kawamura S., Itoh K., and Mitsuoka T. (1991). Isolation and identification of clostridia from the intestine of laboratory animals. *Laboratory Animals*. 9-15.
- Lindsay, M. (1999). First flush water quality. Unpublished BE thesis. Department of Civil, Surveying and Environmental Engineering. University of Newcastle.
- Lindsay, G., Roberts L., and Page W. (1991). Stormwater management practice in Maryland: a second survey. Maryland Department of Environment. Baltimore, Maryland, USA.
- Lloyd, C., Troy P., and Schreiner S. (1992). *For the public health*. Longman Cheshire. Melbourne. Australia.

- Maher, W., Lawrence I., and Wade A., (1997). Drinking water quality. Australia: state of the environment technical paper series (inland waters). Environment Australia. Department of Environment, Sport and Territories.
- Maidment, D.R., Miaou S.P., and Crawford M.M. (1985). Transfer functions models of daily urban water use. *Water Resources Research*. Vol. 21, 4, 425-432.
- Maidment, D.R., and Miaou S.P. (1986). Daily water use in nine cities. *Water Resources Research*. Vol. 22, 6, 845-851.
- Masters, G.M. (1991). Introduction to environmental engineering and science. Prentice-Hall. New Jersey. USA.
- Matalas, N.C. (1967). Mathematical assessment of synthetic hydrology. *Water Resources Research*. Vol. 3, 4, 937-945.
- McPherson, M.B. (1974). Hydrological effects of urbanisation. UNESCO Press. Paris. France.
- Mevisson-Verhage, E.A.E., Marcelis J.H., De Vos M.N., Harmsen-van Amerongen W.C.M., and Verhoef J. (1987). Bifidobacterium, Bacteroides and Clostridium Spp. in fecal samples from breast fed and bottle fed infants with and without iron supplements. *J. Clinical Microbiology*. 285-289.
- Minette, H.P. (1984). Epidemiologic aspects of Salmonellosis in reptiles, amphibians, mullusks and crustaceans. A review. *Int. J. Zoonoses*. Vol.11, 95-104.
- Mitchell, V.G. (1998). Development of an Urban Water Balance Model to Assess the Re-Use Potential of Stormwater and Wastewater. Unpublished thesis. Monash University. Melbourne.
- Mitchell, R. (1974). Introduction to environmental microbiology. Prentice-Hall. New Jersey. USA.
- Mitchell, V.G., Mein R.G., and McMahon T.A. (1997). Evaluating the potential of stormwater and wastewater, an Australian perspective. *Australian Journal of Water Resources*. Vol. 2, 1, 19-22.
- Mobbs, M., O'Loughlin G., and Ngo H.H. (1998). Water cycle monitoring at Sydney's sustainable house. 11th IWSA-ASPAC Regional Conference. Sydney. Australia.
- Mobbs, M. (1998). Sustainable house. Choice Books. Sydney. Australia.
- Moore, W.E.C., and Holderman L.V. (1974). Human fecal flora. The normal flora of 20 Japanese-Hawaiians. *Applied Microbiology*. 961-979.
- Morris, R.D., and Naumova E.N. (2000). Disinfection by-products and bladder and colorectal cancer: a qualitative analysis of published results from interview studies.

- Interdisciplinary Perspectives on Drinking Water Risk Assessment and Management. IAHS Press. Oxfordshire. UK.
- NCC (1995). Unit Cost rates. Newcastle City Council
- NCC (1999). Development Control Plan 50: Stormwater management for development sites. Newcastle City Council.
- Niemczynowicz, J. (1996). Challenges and interactions in water future. Environmental Research Forum. Transtec Publications. Switzerland.
- NHMRC, (1996). Australian drinking water guidelines. National Health and Medical Research Council. Commonwealth of Australia. Sydney. Australia.
- O'Brien, E.J., Rowlands W.G., Dolton J.H., Sibun H.J., and Burchmore J.J. (1992). Coastal stormwater discharge in selected Sydney catchments. International Symposium on Urban Stormwater Management. Institution of Engineers Australia. Sydney. Australia. 129-136.
- Pacey, A., and Cullis A. (1986). Rainwater harvesting: the collection of rainfall and runoff in rural areas. Intermediate Technology Publications, London. UK.
- Pensyl, K., and Clement P.E. (1987). Results of the State of Maryland infiltration practice. Maryland Department of Environment. Baltimore, Maryland, USA.
- Prescott, L.M., Harley J.P., and Klein D.A. (1999). Microbiology. McGraw-Hill.
- Rawls, W.J., and Brakensiek D.L. (1983). A procedure to predict Green Ampt infiltration parameters. Advances in Infiltration, American Society of Agricultural Engineers. 102-112.
- Rigby, E.H., and Bannigan, D.J. (1996). The embedded design storm concept – a critical review. 23rd Hydrology and Water Resources Symposium. Hobart. Australia. 453-459.
- Robeck, G.G., Clarke N.A., and Dostal K.A. (1962). Effectiveness of water treatment processes on virus removal. Journal American Water Works Association. Vol. 54, 1275-1290.
- Rosenby, T.J. (1918). Sydney's water supply and sewerage: 1788 to 1918. William Applegate Gullick, Government Printer. Sydney.
- Royal Commission on Sewage Disposal, (1908). Methods of treating and disposing of sewage. Fifth report, London.
- Schilling, W., and Mantoglou, A. (1999). Sustainable water management in an urban context, In: Drought management planning in water supply systems, Cabrera E., and Garcia-Serra J., (Eds), Kluwer Academic Publishers, 193-215.

- Seymour, R. (1997). Total water management project – Hamilton bus depot. Letter from Rod Seymour Architects to Hunter Water Corporation.
- Shaffer, E.A. (1991). Digestive system, Physiology and Biochemistry. Encyclopaedia of Human Biology. Vol. 3. Academic Press, 71-83.
- Simmons, G., Hope V., Lewis G., Whitmore J., and Gao W. (2001). Contamination of potable roof collected rainwater in Auckland, New Zealand. Water Research. Vol. 35, 6. 1518-1524.
- Smith, H.W., and Crabb W.E. (1961). The fecal bacterial flora of animals and man: its development in the young. J. Pathological Bacteriology. 53.
- Spellman, F.R. (1997). Microbiology for water/wastewater operators. Technomic. Pennsylvania. USA.
- Srikanthan, R., and Kennedy M.R. (1991). Rainfall antecedent to storm bursts from which temporal patterns were derived for “Australian Rainfall and Runoff”. International Hydrology and Water Resources Symposium. Institution of Engineers Australia. Perth. Western Australia. 280-282.
- Stephens, M.L., and Kuczera G. (1999). Testing the time area urban runoff model at the allotment scale. Proceedings of the 8th International Conference on Urban Storm Drainage. Sydney, Australia 1391-1398.
- Streeter, V.L., and Wylie E.B. (1983). Fluid mechanics. McGraw-Hill. Singapore.
- Svanidze, G.G. (1960). Mathematical modelling of hydrologic time series. Water Resources Publications. Fort Collins, Colorado.
- Taylor, R., Sloan D., Cooper T., Morton I., and Hunter I. (1999). A waterborne outbreak of *Salmonella* Saintpaul. Central Public Health Unit, Rockhampton. Queensland.
- Thurman, R. (1995). Evaluation of rainwater stored in collection tanks. Australian Microbiologist. March. 20-22.
- Uba, N., and Aghogho O. (2000). Rainwater quality from different roof catchments in the Port Harcourt district, Rivers State, Nigeria. Journal of Water Supply: Research and Technology – AQUA. Vol. 49, 5, 281-288.
- U.S.F.D.A. (1999). Foodborne pathogenic microorganism and natural toxins handbook. Centre of Food Safety and Applied Nutrition. United States Food and Drug Administration.
- Van Der Wal, B. (2000). Roof runoff – maximising its use. 10th World Water Congress. Melbourne. Australia.

- Wade, R. (1999). Sustainable water from rain harvesting. Environmental Conservation Planning. Australia.
- Walsh, M.A., Pilgram, D.H., and Cordery I. (1991). Initial losses for design flood estimation in New South Wales. International Hydrology and Water Resources Symposium. Institution of Engineers Australia. Perth. Western Australia. 283-288.
- Waugh P. (1991). A study of initial losses in five Western Australian catchments. International Hydrology and Water Resources Symposium. Perth. Western Australia.
- Whelans, and Halpern Glick Maunsell (1994). Planning and management for water sensitive urban (residential) design. Report prepared for the Department of Planning and Urban Development of Western Australia.
- Whelan, C.D., Monaghan P., Girdwood R.W.A., and Fricker C.R. (1983). The significance of wild birds (*Larus Spp.*) in the epidemiology of *Campylobacter* infections in humans. Epidemiology and Infection Vol. 101, 259-267.
- Wong, T.H.F., and Eadie M.L. (2000). Water Sensitive Urban Design – a paradigm shift in urban design. 10th World Water Congress. Melbourne. Australia.
- Wood J. A. (2000). Editorial, Stormwater Industry Association Bulletin. 81.
- Woodcock A.H. (1948). Human respiratory infections and plankton. J. Marine Research. Vol. 7, 56.
- Wooldridge, S.A. (2001). A regional scale methodology for inferring the space-time controls on hydrologic response. Unpublished PhD. thesis. University of Newcastle. NSW. Australia.
- WSC. (1999). Wyong shire population profile. Strategic Planning Department. Wyong Shire Council.
- Yaziz, M. I., Gunting H., Sapari N., and Ghazali A. W. (1989). Variations in rainwater quality from roof catchments. Water Resources. Vol. 23, 6, 761-765.
- Zhou, S.L., McMahon T.A., and Wang Q.J. (2001). Frequency analysis of water consumption for metropolitan area of Melbourne. J. Hydrology. Vol 247, 72-84.